

#### SAFETY DATA SHEET

# **FUNCTIONAL V-4312**

#### **SECTION 1: IDENTIFICATION**

1.1. Product identifier

*Trade name:* FUNCTIONAL V-4312

Product no.: V-4312

1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the* None known.

substance or mixture: Restricted to professional users.

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: Functional Products, Inc

8282 Bavaria Road

Macedonia 44056 Ohio

United States of America T (USA): + 1 330-963-3060 F (USA): + 1 330-963-3322

*E-mail:* SDS@functionalproducts.com

*SDS date:* 1/17/2025

SDS Version: 1.0

1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL®

(triage.webpoisoncontrol.org) to get specific guidance for your case

See also section 4 "First aid measures".

## **SECTION 2: HAZARD(S) IDENTIFICATION**

#### **OSHA/HCS status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### 2.1. Classification of the substance or mixture

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.

## 2.2. Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): May be fatal if swallowed and enters airways. (H304)

Precautionary statement(s):

General: -



Prevention: -

Response: IF SWALLOWED: Immediately call a POISON

CENTER/doctor. (P301+P310) Do NOT induce vomiting. (P331)

Storage: -

Disposal: Dispose of contents/container in accordance with local

regulation (P501)

Additional labelling: Not applicable.

2.3. Other hazards

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Lubricating oils	CAS No.: 72623-86-0	60-80%	Asp. Tox. 1, H304	[19]
(petroleum), C15-30,				
hydrotreated neutral oil-				
based;Baseoil -				
unspecified;[A complex				
combination of				
hydrocarbons obtained				
by treating light vacuum				
gas oil and heavy vacuum				
gas oil with hydrogen in				
the presence of a catalyst				
in a two stage process				
with dewaxing being				
carried out between the				
two stages. It consists				
predominantly of				
hydrocarbons having				
carbon numbers				
predominantly in the				
range of C15 through C30				
and produces a finished				
oil having a viscosity of				
approximately 15cSt at				
40 °C. It contains a				
relatively large				
proportion of saturated				
hydrocabons.]				



Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### **SECTION 4: FIRST-AID MEASURES**

# 4.1. Description of first aid measures

General information: If breathing is irregular, drowsiness, loss of consciousness

or cramps: Call 911 and give immediate treatment (first

aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

*Inhalation:* Upon breathing difficulties or irritation of the respiratory

tract: Bring the person into fresh air and stay with him/her.

Skin contact: Remove contaminated clothing and shoes immediately.

Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: If in eyes: Flush eyes with water or saline water (20-30 °C)

for at least 5 minutes. Remove contact lenses. Seek

medical assistance and continue flushing during transport.

Ingestion: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia

can appear after several hours. People who have swallowed the product should therefore be kept under

medical attention for at least 48 hours.

Burns: Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIRE-FIGHTING MEASURES**



## 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the

original container.

Liquid class: Combustible Liquid / Class IIIB (NFPA 30)

Storage conditions: No specific requirements

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and

strong reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.



#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

## 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed

in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this

product.

Exposure limits: Occupational exposure limits have not been defined for

the substances in this product.

*Appropriate technical measures:* Apply standard precautions during use of the product.

Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end of the

working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and

face.

Measures to avoid environmental

exposure:

Keep damming materials near the workplace. If possible,

collect spillage during work.

#### Individual protection measures, such as personal protective equipment

Generally: No specific requirements

Respiratory Equipment:
No specific requirements

Skin protection:

No specific requirements.

Hand protection:

No specific requirements.

Eye protection:

No specific requirements.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Color: No relevant or available data due to the nature of the

product.

Odor: No relevant or available data due to the nature of the

product.

Odor threshold (ppm): No relevant or available data due to the nature of the

product.

pH: No relevant or available data due to the nature of the

product.

Density (q/cm³): No relevant or available data due to the nature of the

product.



Kinematic viscosity: No relevant or available data due to the nature of the

product.

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/freezing point (°F): No relevant or available data due to the nature of the

product.

Softening point/range (°F): Does not apply to liquids.

Boiling point (°F): No relevant or available data due to the nature of the

product.

Vapor pressure: No relevant or available data due to the nature of the

product.

Relative vapor density: No relevant or available data due to the nature of the

product.

Decomposition temperature (°F): No relevant or available data due to the nature of the

product.

Data on fire and explosion hazards

Flash point (°F):

Flash point (°C):

Test method: ASTM D92 Cleveland Open Cup

Flammability (°F): No relevant or available data due to the nature of the

product.

Auto-ignition temperature (°F): No relevant or available data due to the nature of the

product.

Explosion limits (% v/v): No relevant or available data due to the nature of the

product.

Solubility

Solubility in water: No relevant or available data due to the nature of the

product.

*n-octanol/water coefficient (LogKow):* No relevant or available data due to the nature of the

product.

Solubility in fat (q/L): No relevant or available data due to the nature of the

product.

9.2. Other information

Other physical and chemical

parameters:

No data available.

Oxidizing properties: No relevant or available data due to the nature of the

product.

#### **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. Possibility of hazardous reactions, including those associated with foreseeable



## emergencies

None known.

#### 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Long term effects

None known.

#### Other information

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data available.

## 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.



## 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Other adverse effects

None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

## RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

## Specific labelling

## **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

	'	14.2 UN proper shipping name	14.3 Hazard class(es)		Env**	Other informat ion:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to DOT, IATA and IMDG.

# 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to IMO instruments

No data available.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. U.S. Federal regulations

TSCA (the non-confidential portion):

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being

<sup>\*\*</sup> Environmental hazards



carried out between the two stages. It consists

predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil having a viscosity of approximately

15cSt at 40 °C. It contains a relatively large proportion of

saturated hydrocabons.] is listed

Clean Air Act:

EPCRA Section 302:

None of the components are listed

Hazardous chemical inventory This product is subject to Tier II reporting.

reporting:

## State regulations

California / Prop. 65:

Massachusetts / Right To Know Act:

None of the components are listed

# 15.4. Restrictions for application

Restricted to professional users.

## 15.5. Demands for specific education

No specific requirements.

## 15.6. Additional information

Not applicable.

#### 15.7. Chemical safety assessment

No

#### 15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H304, May be fatal if swallowed and enters airways.

#### The full text of identified uses as mentioned in section 1

None known.

## Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation



EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organisation for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

# The safety data sheet is validated by

Erik Willett

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en